



INDUSTRIAL SCALES

ELECTRONIC PLATFORM SCALES



- EC type approval
- Various Capacity options from 600 kg up to 30 ton
- Easy and practical usage with low profile design
- Possibility to communicate with computer and controllers
- Printing Ticket and Label through printer connection
- Reporting and recording possibilities





Electronic platform scales have a wide usage area in all industrial areas mainly in production, stocking, delivery, control, quality and trade processes. Platform scales are especially designed for using in heavy-duty industrial conditions owing to their robust and durable steel construction.

Beside to their basic features like tare, automatic, semi-automatic zero, easily readable VFD display and RS 232 serial communication output, they also have many additional weighing functions which enable ticket and label print outs through thermal, ribbon, dot matrix and barcode type printer connections. For filling, dosing and automation applications, platform scales have various interfaces and control outputs. For explosive and flammable environments ex-proof models are also available. By connection with Computer or Industrial PC based terminal, platform scales allow flexible applications with special software options.

For commercial and non-commercial applications platform scales can be used as pitless, pit and over-stand types. Electronic platform scales are produced in different dimensions and capacities from steel, galvanized steel and stainless steel materials. Beside to accessories like ramp for pit less usage, roll-conveyor, belt conveyor, stable or wheeled stand, display colon and display protection panel. Custom equipments and accessories can be added on demand.



ELECTRONIC PLATFORM SCALES



TECHNICAL SPECIFICATIONS

PLATFORM	
Model	WP-C / WP-M
Material	Steel
Environmental Protection	IP 65 (Standart) - IP 67 / IP 68 (Option)
Load cell	4 pcs, OIML R60 C3 Class
Load cell Protection Class	Steel IP 67 (Standart) / Stainless Steel IP 68 (Option)
Platform Material Option	SG: Galvanized Steel TSS: Stainless Steel Scale Cover CSS: Complete Stainless Steel

WEIGHT INDICATOR	
Model	LL3
Class	III / IIII
Caseing	Aluminium Cast (Standard) / Stainless Steel (Option)
Protection Class	IP 54 / IP 65
Display	7 Dijit, 14 mm. VFD Display Zero, Net, Kg, Weight Range, Stand Still Load Symbols
Keypad	Membran type, 20 functional alfanumeric keys (Programming, Calibration, Zero, Tare, Printing, Reporting)
Operation Voltage	220 VAC / 12 VDC
Operation Temp. Range	- 10°C ... + 40°C
Serial Communication	RS232
Options	<ul style="list-style-type: none"> 1 x RS232, 1 x RS 422/485 Modbus RTU RF Communication 0-10V / 0-20mA / 4-20 mA Analog Output Optoizole 4 input (5 VDC-PNP Logic-) / 4 TTL, 1 A/24 VDC or 0.5 A/125 VDC Relay output 2MB. (105.000 Record) Alibi Memory Rechargeable Battery

CAPACITIES AND DIMENSIONS

MODEL CODE	CAPACITY X DIVISON	DIMENSION
WP-M-125X125.SP-600K.4L	600 kg X 200 g	125 X 125 X 12 cm
WP-M-125X125.SP-1000K.4L	1000 kg X 500 g	125 X 125 X 12 cm
WP-M-150X150.SP-1000K.4L		150 X 150 X 12 cm
WP-M-125X125.SP-1500K.4L	1500 kg X 500 g	125 X 125 X 12 cm
WP-M-150X150.SP-1500K.4L		150 X 150 X 12 cm
WP-M-150X200.SP-1500K.4L		150 X 200 X 12 cm
WP-M-150X150.SP-3000K.4L	3000 kg X 1 kg	150 X 150 X 14 cm
WP-M-150X200.SP-3000K.4L		150 X 200 X 16 cm
WP-M-200X200.SP-3000K.4L		200 X 200 X 16 cm

WP-C-150X150.SP-6000K.4L	6000 kg X 2 kg	150 X 150 X 41 cm
WP-C-150X200.SP-6000K.4L		150 X 200 X 41 cm
WP-C-200X200.SP-6000K.4L		200 X 200 X 41 cm
WP-C-200X200.SP-10000K.4L	10000 kg X 5 kg	200 X 200 X 48 cm
WP-C-200X300.SP-10000K.4L		200 X 300 X 48 cm
WP-C-200X200.SP-15000K.4L	15000 kg X 5 kg	200 X 200 X 33 cm
WP-C-200X300.SP-15000K.4L		200 X 300 X 33 cm
WP-C-200X300.SP-20000K.4L	20000 kg X 10 kg	200 X 300 X 33 cm
WP-C-200X300.SP-30000K.4L	30000 kg X 10 kg	200 X 300 X 36 cm

* Custom desing dimensions and capaties can produced.

OPTIONS



LL2-WT-L Weighing Terminal

Touch-Operated Weighing Terminal

Printer

Indicator Connector Column

Remote Display

Ramp

RF Communication Set

Tunaylar keeps its right secret to change all technical specifications, image, colour and accessories of the products without prior notice.